ELSEVIER

Environmental and Experimental Botany 48 (2002) 269–273

Environmental and Experimental Botany

www.elsevier.com/locate/envexpbot

Cumulative Author Index, Vols. 47–48

Armstrong, R.A.
The effect of rock surface aspect on growth, size structure and competition in the lichen *Rhizocarpon geographicum* 48 (2002) 187
Augé, R.M. and Moore, J.L.
Stomatal response to nonhydraulic root-to-shoot communication of partial soil drying in relation to foliar dehydration tolerance 47 (2002) 217
Awal, M.A. and Ikeda, T.
Effects of changes in soil temperature on seedling emergence and phenological development in field-grown stands of peanut (*Arachis hypogaea*) 47 (2002) 101

Bačkor, M. and Váczi, P.
Copper tolerance in the lichen photobiont *Trebouxia erici* (Chlorophyta) 48 (2002) 11
Barceló, J. and Poschenrieder, C.
Fast root growth responses, root exudates, and internal detoxification as clues to the mechanisms of aluminium toxicity and resistance: a review 48 (2002) 75
Basha, S.M., *see* Mazhar, H.
Batish, D.R., Singh, H.P., Kohli, R.K., Saxena, D.B. and Kaur, S.
Allelopathic effects of parthenin against two weedy species, *Avena fatua* and *Bidens pilosa* 47 (2002) 149
Bettini, D., *see* Bussotti, F. et al.
Björn, L.O., *see* Musil, C.F. et al.
Blanke, M.M., *see* Tartachnyk, I.
Bodeker, G.E., *see* Musil, C.F. et al.
Booker, F.L., *see* Fiscus, E.L.
Bussotti, F., Bettini, D., Grossoni, P., Mansuino, S., Nibbi, R., Soda, C. and Tani, C.
Structural and functional traits of *Quercus ilex* in response to water availability 47 (2002) 11
Butwell, S., *see* Kahn-Jetter, Z. et al.

Castells, E., Roumet, C., Peñuelas, J. and Roy, J.
Intraspecific variability of phenolic concentrations and their responses to elevated CO_2 in two mediterranean perennial grasses 47 (2002) 205
Charlet, T.N., *see* Hamerlynck, E.P. et al.
Cheng, W., *see* Hui, D. et al.
Chen, H., Qualls, R.G. and Miller, G.C.
Adaptive responses of *Lepidium latifolium* to soil flooding: biomass allocation, adventitious rooting, aerenchyma formation and ethylene production 48 (2002) 119

DaMatta, F.M., *see* Lima, A.L.S. et al.
Davis, A.R., *see* Razem, F.A.
Day, F.P., *see* Dilustro, J.J. et al.
Day, T.A., *see* Morse, L.J. et al.
De la Barrera, E., *see* Nobel, P.S.
Dilustro, J.J., Day, F.P., Drake, B.G. and Hinkle, C.R.
Abundance, production and mortality of fine roots under elevated atmospheric CO_2 in an oak-scrub ecosystem 48 (2002) 149

PII: S0098-8472(00)00074-6

Doege, M., *see* Tschiersch, H. et al.
Drake, B.G., *see* Dilustro, J.J. et al.

Earl, H.J.
Stomatal and non-stomatal restrictions to carbon assimilation in soybean (*Glycine max*) lines differing in water use efficiency 48 (2002) 237
Egert, M. and Tevini, M.
Influence of drought on some physiological parameters symptomatic for oxidative stress in leaves of chives (*Allium schoenoprasum*) 48 (2002) 43
Ella, E., *see* Kawano, N. et al.
Evans, L.S., *see* Kahn-Jetter, Z. et al.

Faeth, S.H., *see* Morse, L.J. et al.
Fares, K., *see* Ghoulam, C. et al.
Fiscus, E.L. and Booker, F.L.
Growth of *Arabidopsis* flavonoid mutant is challenged by radiation longer than the UV-B band 48 (2002) 213
Foursy, A., *see* Ghoulam, C. et al.
Fritz, E., *see* Hauck, M. et al.
Furch, B., *see* Waldhoff, D. et al.

Ghia, E., *see* Gratani, L.
Ghoulam, C., Foursy, A. and Fares, K.
Effects of salt stress on growth, inorganic ions and proline accumulation in relation to osmotic adjustment in five sugar beet cultivars 47 (2002) 39
Girija, C., Smith, B.N. and Swamy, P.M.
Interactive effects of sodium chloride and calcium chloride on the accumulation of proline and glycinebetaine in peanut (*Arachis hypogaea* L.) 47 (2002) 1
González del Castillo-Aranda, M.E., *see* Pimienta-Barrios, E. et al.
Gratani, L. and Ghia, E.
Changes in morphological and physiological traits during leaf expansion of *Arbutus unedo* 48 (2002) 51
Greger, M., *see* Stoltz, E.
Grossoni, P., *see* Bussotti, F. et al.

Hamerlynck, E.P., Huxman, T.E., Charlet, T.N. and Smith, S.D.
Effects of elevated CO_2 (FACE) on the functional ecology of the drought-deciduous Mojave Desert shrub, *Lycium andersonii* 48 (2002) 93
Hauck, M., Mulack, C. and Paul, A.
Manganese uptake in the epiphytic lichens *Hypogymnia physodes* and *Lecanora conizaeoides* 48 (2002) 107
Hauck, M., Paul, A., Mulack, C., Fritz, E. and Runge, M.
Effects of manganese on the viability of vegetative diaspores of the epiphytic lichen *Hypogymnia physodes* . . 47 (2002) 127
Hinkle, C.R., *see* Dilustro, J.J. et al.
Hoober, J.K., *see* Idso, K.E. et al.
Hui, D., Sims, D.A., Johnson, D.W., Cheng, W. and Luo, Y.
Effects of gradual versus step increases in carbon dioxide on *Plantago* photosynthesis and growth in a microcosm study 47 (2002) 51
Huxman, T.E., *see* Hamerlynck, E.P. et al.

Idso, K.E., Hoober, J.K., Idso, S.B., Wall, G.W. and Kimball, B.A.
Atmospheric CO_2 enrichment influences the synthesis and mobilization of putative vacuolar storage proteins in sour orange tree leaves 48 (2002) 199
Idso, S.B., *see* Idso, K.E. et al.
Ikeda, T., *see* Awal, M.A.
Ito, O., *see* Kawano, N. et al.

Jarvis, M.D. and Leung, D.W.M.
Chelated lead transport in *Pinus radiata*: an ultrastructural study 48 (2002) 21
Johnson, D.W., *see* Hui, D. et al.
Junk, W.J., *see* Waldhoff, D. et al.

Kahn-Jetter, Z., Evans, L.S. and Butwell, S.
Stresses on joints of *Opuntia laevis*: forces necessary for mechanical failure and role of lignified xylem cells as resistance components 47 (2002) 231
Kankaala, P., *see* Ojala, A. et al.
Kaur, S., *see* Batish, D.R. et al.
Kawano, N., Ella, E., Ito, O., Yamauchi, Y. and Tanaka, K.
Metabolic changes in rice seedlings with different submergence tolerance after desubmergence 47 (2002) 195
Kerbauy, G.B., *see* Majerowicz, N.
Kimball, B.A., *see* Idso, K.E. et al.
Kitoh, S., *see* Maejima, K. et al.
Kohli, R.K., *see* Batish, D.R. et al.

Leung, D.W.M., *see* Jarvis, M.D.
Lima, A.L.S., DaMatta, F.M., Pinheiro, H.A., Totola, M.R. and Loureiro, M.E.
Photochemical responses and oxidative stress in two clones of *Coffea canephora* under water deficit conditions 47 (2002) 239
Li, R.-Q., *see* Yan, C.-L. et al.
Loureiro, M.E., *see* Lima, A.L.S. et al.
Luo, Y., *see* Hui, D. et al.

Maejima, K., Uheda, E., Kitoh, S. and Shiomi, N.
Differences in growth rate, nitrogen fixation and numbers of cyanobionts and heterocysts among three *Azolla pinnata* var. *pinnata* strains 47 (2002) 143
Majerowicz, N. and Kerbauy, G.B.
Effects of nitrogen forms on dry matter partitioning and nitrogen metabolism in two contrasting genotypes of *Catasetum fimbriatum* (Orchidaceae) 47 (2002) 249
Mansuino, S., *see* Bussotti, F. et al.
Mata-González, R., Sosebee, R.E. and Wan, C.
Physiological impacts of biosolids application in desert grasses 48 (2002) 139
Mazhar, H. and Basha, S.M.
Effects of desiccation on peanut (*Arachis hypogaea* L.) seed protein composition 47 (2002) 67
Miller, G.C., *see* Chen, H. et al.
Molas, J.
Changes of chloroplast ultrastructure and total chlorophyll concentration in cabbage leaves caused by excess of organic Ni(II) complexes 47 (2002) 115
Moore, J.L., *see* Augé, R.M.
Morse, L.J., Day, T.A. and Faeth, S.H.
Effect of *Neotyphodium* endophyte infection on growth and leaf gas exchange of Arizona fescue under contrasting water availability regimes 48 (2002) 257
Mulack, C., *see* Hauck, M. et al.
Mulack, C., *see* Hauck, M. et al.
Musil, C.F., Björn, L.O., Scourfield, M.W.J. and Bodeker, G.E.
How substantial are ultraviolet-B supplementation inaccuracies in experimental square-wave delivery systems? 47 (2002) 25

Nibbi, R., *see* Bussotti, F. et al.
Nisbet, A.F., *see* Zhu, Y.-G. et al.
Nobel, P.S. and De la Barrera, E.
Stem water relations and net CO_2 uptake for a hemiepiphytic cactus during short-term drought 48 (2002) 129
Nobel, P.S., *see* Pimienta-Barrios, E. et al.

Ohmann, E., *see* Tschiersch, H. et al.
Ojala, A., Kankaala, P. and Tulonen, T.
Growth response of *Equisetum fluviatile* to elevated CO_2 and temperature 47 (2002) 157
Oliveira, G. and Peñuelas, J.
Comparative protective strategies of *Cistus albidus* and *Quercus ilex* facing photoinhibitory winter conditions. 47 (2002) 281

Päivöke, A.E.A.
Soil lead alters phytase activity and mineral nutrient balance of *Pisum sativum* 48 (2002) 61

Parolin, P.
Submergence tolerance vs. escape from submergence: two strategies of seedling establishment in Amazonian floodplains 48 (2002) 177
Paul, A., *see* Hauck, M. et al.
Paul, A., *see* Hauck, M. et al.
Peñuelas, J., *see* Castells, E. et al.
Peñuelas, J., *see* Oliveira, G.
Pimienta-Barrios, E., González del Castillo-Aranda, M.E. and Nobel, P.S.
Ecophysiology of a wild platyopuntia exposed to prolonged drought 47 (2002) 77
Pinheiro, H.A., *see* Lima, A.L.S. et al.
Poschenrieder, C., *see* Barceló, J.

Qualls, R.G., *see* Chen, H. et al.

Razem, F.A. and Davis, A.R.
Stomatal frequency, maturity and index on developing bracts of four abscisic acid mutants and wild-type plants of *Arabidopsis thaliana* 48 (2002) 247
Roumet, C., *see* Castells, E. et al.
Roy, J., *see* Castells, E. et al.
Runge, M., *see* Hauck, M. et al.

Saxena, D.B., *see* Batish, D.R. et al.
Scourfield, M.W.J., *see* Musil, C.F. et al.
Shaw, G., *see* Zhu, Y.-G. et al.
Shen, H., Yan, X., Zhao, M., Zheng, S. and Wang, X.
Exudation of organic acids in common bean as related to mobilization of aluminum- and iron-bound phosphates 48 (2002) 1
Shiomi, N., *see* Maejima, K. et al.
Sims, D.A., *see* Hui, D. et al.
Singh, H.P., *see* Batish, D.R. et al.
Smith, B.N., *see* Girija, C. et al.
Smith, S.D., *see* Hamerlynck, E.P. et al.
Soda, C., *see* Bussotti, F. et al.
Sosebee, R.E., *see* Mata-González, R. et al.
Stoltz, E. and Greger, M.
Accumulation properties of As, Cd, Cu, Pb and Zn by four wetland plant species growing on submerged mine tailings 47 (2002) 271
Swamy, P.M., *see* Girija, C. et al.

Tanaka, K., *see* Kawano, N. et al.
Tani, C., *see* Bussotti, F. et al.
Tartachnyk, I. and Blanke, M.M.
Effect of mechanically-simulated hail on photosynthesis, dark respiration and transpiration of apple leaves . . 48 (2002) 169
Tevini, M., *see* Egert, M.
Tonneijck, A.E.G. and Van Dijk, C.J.
Injury and growth response of subterranean clover to ambient ozone as assessed by using ethylenediurea (EDU): Three years of plant monitoring at four sites in The Netherlands 48 (2002) 33
Totola, M.R., *see* Lima, A.L.S. et al.
Tschiersch, H., Ohmann, E. and Doege, M.
Modification of the thylakoid structure of *Euglena gracilis* by norflurazon-treatment: consequences for fluorescence quenching 47 (2002) 259
Tulonen, T., *see* Ojala, A. et al.

Uheda, E., *see* Maejima, K. et al.

Váczi, P., *see* Bačkor, M.

Valverde, C. and Wall, L.G.
Nodule distribution on the roots of actinorhizal *Discaria trinervis* (Rhamnaceae) growing in pots. 47 (2002) 95
Van Dijk, C.J., *see* Tonneijck, A.E.G.
van Rensen, J.J.S.
Herbicides and their Mechanisms of Action. Sheffield Biological Sciences, 6, Edited by Andrew H. Cobb and Ralph C. Kirkwood, Sheffield Academic Press, Sheffield, 2000, 295 pp. ISBN 1-84127-109-8; (Hardback) GBP 85.00 . . . . . 47 (2002) 189

Waldhoff, D., Furch, B. and Junk, W.J.
Fluorescence parameters, chlorophyll concentration, and anatomical features as indicators for flood adaptation of an abundant tree species in Central Amazonia: *Symmeria paniculata* 48 (2002) 225
Wall, G.W., *see* Idso, K.E. et al.
Wall, L.G., *see* Valverde, C.
Wan, C., *see* Mata-González, R. et al.
Wang, J.-B., *see* Yan, C.-L. et al.
Wang, X., *see* Shen, H. et al.
Wilkins, B.T., *see* Zhu, Y.-G. et al.

Yamauchi, Y., *see* Kawano, N. et al.
Yan, C.-L., Wang, J.-B. and Li, R.-Q.
Effect of heat stress on calcium ultrastructural distribution in pepper anther 48 (2002) 161
Yan, X., *see* Shen, H. et al.

Zhao, M., *see* Shen, H. et al.
Zheng, S., *see* Shen, H. et al.
Zhu, Y.-G., Shaw, G., Nisbet, A.F. and Wilkins, B.T.
Effect of external potassium supply and plant age on the uptake of radiocaesium (^{137}Cs) by broad bean (*Vicia faba*): interpretation of results from a large-scale hydroponic study 47 (2002) 173

ELSEVIER

Environmental and Experimental Botany 48 (2002) 275–285

Environmental and Experimental Botany

www.elsevier.com/locate/envexpbot

Cumulative Subject Index, Vols. 47–48

Abscisic acid
Stem water relations and net CO_2 uptake for a hemiepiphytic cactus during short-term drought, 48 (2002) 129

Abscisic acid mutants
Stomatal frequency, maturity and index on developing bracts of four abscisic acid mutants and wild-type plants of *Arabidopsis thaliana*, 48 (2002) 247

Acetate
Soil lead alters phytase activity and mineral nutrient balance of *Pisum sativum*, 48 (2002) 61

Acid soil tolerance
Fast root growth responses, root exudates, and internal detoxification as clues to the mechanisms of aluminium toxicity and resistance: a review, 48 (2002) 75

Actinorhizal plants
Nodule distribution on the roots of actinorhizal *Discaria trinervis* (Rhamnaceae) growing in pots, 47 (2002) 95

Adventitious rooting
Adaptive responses of *Lepidium latifolium* to soil flooding: biomass allocation, adventitious rooting, aerenchyma formation and ethylene production, 48 (2002) 119

Aerenchyma
Adaptive responses of *Lepidium latifolium* to soil flooding: biomass allocation, adventitious rooting, aerenchyma formation and ethylene production, 48 (2002) 119

Air temperature
Changes in morphological and physiological traits during leaf expansion of *Arbutus unedo*, 48 (2002) 51

Aluminium complexation
Fast root growth responses, root exudates, and internal detoxification as clues to the mechanisms of aluminium toxicity and resistance: a review, 48 (2002) 75

Aluminium exclusion
Fast root growth responses, root exudates, and internal detoxification as clues to the mechanisms of aluminium toxicity and resistance: a review, 48 (2002) 75

Aluminum
Exudation of organic acids in common bean as related to mobilization of aluminum- and iron-bound phosphates, 48 (2002) 1

Ammonium
Differences in growth rate, nitrogen fixation and numbers of cyanobionts and heterocysts among three *Azolla pinnata* var. *pinnata* strains, 47 (2002) 143

Anion channel
Exudation of organic acids in common bean as related to mobilization of aluminum- and iron-bound phosphates, 48 (2002) 1

Antimonate precipitation
Effect of heat stress on calcium ultrastructural distribution in pepper anther, 48 (2002) 161

Antioxidant system
Photochemical responses and oxidative stress in two clones of *Coffea canephora* under water deficit conditions, 47 (2002) 239

Aquatic macrophytes
Growth response of *Equisetum fluviatile* to elevated CO_2 and temperature, 47 (2002) 157

Arabidopsis
Growth of *Arabidopsis* flavonoid mutant is challenged by radiation longer than the UV-B band, 48 (2002) 213

Arabidopsis thaliana
Stomatal frequency, maturity and index on developing bracts of four abscisic acid mutants and wild-type plants of *Arabidopsis thaliana*, 48 (2002) 247

Ascorbic acid
Metabolic changes in rice seedlings with different submergence tolerance after desubmergence, 47 (2002) 195

Aspect distribution
The effect of rock surface aspect on growth, size structure and competition in the lichen *Rhizocarpon geographicum*, 48 (2002) 187

PII: S0098-8472(00)00075-8

Autoregulation
Nodule distribution on the roots of actinorhizal *Discaria trinervis* (Rhamnaceae) growing in pots, 47 (2002) 95

Base temperature
Effects of changes in soil temperature on seedling emergence and phenological development in field-grown stands of peanut (*Arachis hypogaea*), 47 (2002) 101

Beta vulgaris
Effects of salt stress on growth, inorganic ions and proline accumulation in relation to osmotic adjustment in five sugar beet cultivars, 47 (2002) 39

Biomass allocation
Effects of nitrogen forms on dry matter partitioning and nitrogen metabolism in two contrasting genotypes of *Catasetum fimbriatum* (Orchidaceae), 47 (2002) 249

Biosolids
Physiological impacts of biosolids application in desert grasses, 48 (2002) 139

Boreal lakes
Growth response of *Equisetum fluviatile* to elevated CO_2 and temperature, 47 (2002) 157

Bouteloua gracilis
Physiological impacts of biosolids application in desert grasses, 48 (2002) 139

Bracts
Stomatal frequency, maturity and index on developing bracts of four abscisic acid mutants and wild-type plants of *Arabidopsis thaliana*, 48 (2002) 247

Brassica oleracea
Changes of chloroplast ultrastructure and total chlorophyll concentration in cabbage leaves caused by excess of organic Ni(II) complexes, 47 (2002) 115

Bromus erectus
Intraspecific variability of phenolic concentrations and their responses to elevated CO_2 in two mediterranean perennial grasses, 47 (2002) 205

Calcium
Interactive effects of sodium chloride and calcium chloride on the accumulation of proline and glycinebetaine in peanut (*Arachis hypogaea* L.), 47 (2002) 1

Ca/Mn ratio
Manganese uptake in the epiphytic lichens *Hypogymnia physodes* and *Lecanora conizaeoides*, 48 (2002) 107

Carbon dioxide
Effects of gradual versus step increases in carbon dioxide on *Planta*-o photosynthesis and growth in a microcosm study, 47 (2002) 51

Atmospheric CO_2 enrichment influences the synthesis and mobilization of putative vacuolar storage proteins in sour orange tree leaves, 48 (2002) 199

Carbon–nutrient balance
Intraspecific variability of phenolic concentrations and their responses to elevated CO_2 in two mediterranean perennial grasses, 47 (2002) 205

Carex rostrata
Accumulation properties of As, Cd, Cu, Pb and Zn by four wetland plant species growing on submerged mine tailings, 47 (2002) 271

CE
Effects of desiccation on peanut (*Arachis hypogaea* L.) seed protein composition, 47 (2002) 67

Cellular damages
Photochemical responses and oxidative stress in two clones of *Coffea canephora* under water deficit conditions, 47 (2002) 239

Chlorophyll
Soil lead alters phytase activity and mineral nutrient balance of *Pisum sativum*, 48 (2002) 61

Allelopathic effects of parthenin against two weedy species, *Avena fatua* and *Bidens pilosa*, 47 (2002) 149

Chlorophyll content
Changes in morphological and physiological traits during leaf expansion of *Arbutus unedo*, 48 (2002) 51

Copper tolerance in the lichen photobiont *Trebouxia erici* (Chlorophyta), 48 (2002) 11

Effects of manganese on the viability of vegetative diaspores of the epiphytic lichen *Hypogymnia physodes*, 47 (2002) 127

Chlorophyll fluorescence
Modification of the thylakoid structure of *Euglena gracilis* by norflurazon-treatment: consequences for fluorescence quenching, 47 (2002) 259

Photochemical responses and oxidative stress in two clones of *Coffea canephora* under water deficit conditions, 47 (2002) 239

Chlorosis
Metabolic changes in rice seedlings with different submergence tolerance after desubmergence, 47 (2002) 195

Citrate
Changes of chloroplast ultrastructure and total chlorophyll concentration in cabbage leaves caused by excess of organic Ni(II) complexes, 47 (2002) 115

Cladodes joints
Stresses on joints of *Opuntia laevis*: forces necessary for mechanical failure and role of lignified xylem cells as resistance components, 47 (2002) 231

Climate change
Growth response of *Equisetum fluviatile* to elevated CO_2 and temperature, 47 (2002) 157

CO_2
Abundance, production and mortality of fine roots under elevated atmospheric CO_2 in an oak-scrub ecosystem, 48 (2002) 149

Coffea canephora
Photochemical responses and oxidative stress in two clones of *Coffea canephora* under water deficit conditions, 47 (2002) 239

Coffee
Photochemical responses and oxidative stress in two clones of *Coffea canephora* under water deficit conditions, 47 (2002) 239

Competition
The effect of rock surface aspect on growth, size structure and competition in the lichen *Rhizocarpon geographicum*, 48 (2002) 187

Conductance
Effect of *Neotyphodium* endophyte infection on growth and leaf gas exchange of Arizona fescue under contrasting water availability regimes, 48 (2002) 257

Co-tolerance
Copper tolerance in the lichen photobiont *Trebouxia erici* (Chlorophyta), 48 (2002) 11

Countermeasures
Effect of external potassium supply and plant age on the uptake of radiocaesium (^{137}Cs) by broad bean (*Vicia faba*): interpretation of results from a large-scale hydroponic study, 47 (2002) 173

CO_2 uptake
Ecophysiology of a wild platyopuntia exposed to prolonged drought, 47 (2002) 77

Crassulacean acid metabolism
Stem water relations and net CO_2 uptake for a hemiepiphytic cactus during short-term drought, 48 (2002) 129

Critical levels
Injury and growth response of subterranean clover to ambient ozone as assessed by using ethylenediurea (EDU): Three years of plant monitoring at four sites in The Netherlands, 48 (2002) 33

^{137}Cs
Effect of external potassium supply and plant age on the uptake of radiocaesium (^{137}Cs) by broad bean (*Vicia faba*): interpretation of results from a large-scale hydroponic study, 47 (2002) 173

Cytoplasm
Effect of heat stress on calcium ultrastructural distribution in pepper anther, 48 (2002) 161

Dactylis glomerata
Intraspecific variability of phenolic concentrations and their responses to elevated CO_2 in two mediterranean perennial grasses, 47 (2002) 205

Daily sunshine duration
How substantial are ultraviolet-B supplementation inaccuracies in experimental square-wave delivery systems?, 47 (2002) 25

Damage spectrum
Growth of *Arabidopsis* flavonoid mutant is challenged by radiation longer than the UV-B band, 48 (2002) 213

Dehydrin
Effects of desiccation on peanut (*Arachis hypogaea* L.) seed protein composition, 47 (2002) 67

Desiccation
Effects of desiccation on peanut (*Arachis hypogaea* L.) seed protein composition, 47 (2002) 67

Discaria trinervis
Nodule distribution on the roots of actinorhizal *Discaria trinervis* (Rhamnaceae) growing in pots, 47 (2002) 95

Distribution
Accumulation properties of As, Cd, Cu, Pb and Zn by four wetland plant species growing on submerged mine tailings, 47 (2002) 271

Dose–response relationship
Allelopathic effects of parthenin against two weedy species, *Avena fatua* and *Bidens pilosa*, 47 (2002) 149

Drought
Ecophysiology of a wild platyopuntia exposed to prolonged drought, 47 (2002) 77

Effect of *Neotyphodium* endophyte infection on growth and leaf gas exchange of Arizona fescue under contrasting water availability regimes, 48 (2002) 257

Drought resistance
Stomatal response to nonhydraulic root-to-shoot communication of partial soil drying in relation to foliar dehydration tolerance, 47 (2002) 217

EDTA
Changes of chloroplast ultrastructure and total chlorophyll concentration in cabbage leaves caused by excess of organic Ni(II) complexes, 47 (2002) 115

Elevated CO_2
Effects of elevated CO_2 (FACE) on the functional ecology of the drought-deciduous Mojave Desert shrub, *Lycium andersonii*, 48 (2002) 93

Eriophorum angustifolium
Accumulation properties of As, Cd, Cu, Pb and Zn by four wetland plant species growing on submerged mine tailings, 47 (2002) 271

Ethylene
Adaptive responses of *Lepidium latifolium* to soil flooding: biomass allocation, adventitious rooting, aerenchyma formation and ethylene production, 48 (2002) 119

Metabolic changes in rice seedlings with different submergence tolerance after desubmergence, 47 (2002) 195

Ethylenediaminetetraceticacid (EDTA)
Chelated lead transport in *Pinus radiata*: an ultrastructural study, 48 (2002) 21

Evergreen
Comparative protective strategies of *Cistus albidus* and *Quercus ilex* facing photoinhibitory winter conditions, 47 (2002) 281

Festuca arizonica
Effect of *Neotyphodium* endophyte infection on growth and leaf gas exchange of Arizona fescue under contrasting water availability regimes, 48 (2002) 257

Flash flood tolerance
Metabolic changes in rice seedlings with different submergence tolerance after desubmergence, 47 (2002) 195

Flavonoid mutants
Growth of *Arabidopsis* flavonoid mutant is challenged by radiation longer than the UV-B band, 48 (2002) 213

Flavonoid phenolics
Fast root growth responses, root exudates, and internal detoxification as clues to the mechanisms of aluminium toxicity and resistance: a review, 48 (2002) 75

Flooding gradient
Submergence tolerance vs. escape from submergence: two strategies of seedling establishment in Amazonian floodplains, 48 (2002) 177

Floodplain forest
Submergence tolerance vs. escape from submergence: two strategies of seedling establishment in Amazonian floodplains, 48 (2002) 177

Fluorescence parameters, chlorophyll concentration, and anatomical features as indicators for flood adaptation of an abundant tree species in Central Amazonia: *Symmeria paniculata*, 48 (2002) 225

Flood tolerance
Adaptive responses of *Lepidium latifolium* to soil flooding: biomass allocation, adventitious rooting, aerenchyma formation and ethylene production, 48 (2002) 119

Frankia
Nodule distribution on the roots of actinorhizal *Discaria trinervis* (Rhamnaceae) growing in pots, 47 (2002) 95

Fungal endophyte
Effect of *Neotyphodium* endophyte infection on growth and leaf gas exchange of Arizona fescue under contrasting water availability regimes, 48 (2002) 257

F_v/F_m
Fluorescence parameters, chlorophyll concentration, and anatomical features as indicators for flood adaptation of an abundant tree species in Central Amazonia: *Symmeria paniculata*, 48 (2002) 225

Gas exchange
Changes in morphological and physiological traits during leaf expansion of *Arbutus unedo*, 48 (2002) 51

Genotypes
Intraspecific variability of phenolic concentrations and their responses to elevated CO_2 in two mediterranean perennial grasses, 47 (2002) 205

Glutamate
Changes of chloroplast ultrastructure and total chlorophyll concentration in cabbage leaves caused by excess of organic Ni(II) complexes, 47 (2002) 115

Glycinebetaine
Interactive effects of sodium chloride and calcium chloride on the accumulation of proline and glycinebetaine in peanut (*Arachis hypogaea* L.), 47 (2002) 1

Glycine max
Stomatal and non-stomatal restrictions to carbon assimilation in soybean (*Glycine max*) lines differing in water use efficiency, 48 (2002) 237

Greenhouse
Soil lead alters phytase activity and mineral nutrient balance of *Pisum sativum*, 48 (2002) 61

Growth
Submergence tolerance vs. escape from submergence: two strategies of seedling establishment in Amazonian floodplains, 48 (2002) 177

Effects of elevated CO_2 (FACE) on the functional ecology of the drought-deciduous Mojave Desert shrub, *Lycium andersonii*, 48 (2002) 93

Copper tolerance in the lichen photobiont *Trebouxia erici* (Chlorophyta), 48 (2002) 11

Growth rate
Effect of *Neotyphodium* endophyte infection on growth and leaf gas exchange of Arizona fescue under contrasting water availability regimes, 48 (2002) 257

Heavy metals
Copper tolerance in the lichen photobiont *Trebouxia erici* (Chlorophyta), 48 (2002) 11

Heavy metal tolerance
Manganese uptake in the epiphytic lichens *Hypogymnia physodes* and *Lecanora conizaeoides*, 48 (2002) 107

Effects of manganese on the viability of vegetative diaspores of the epiphytic lichen *Hypogymnia physodes*, 47 (2002) 127

Herbicidal activity
Allelopathic effects of parthenin against two weedy species, *Avena fatua* and *Bidens pilosa*, 47 (2002) 149

Heritability
Intraspecific variability of phenolic concentrations and their responses to elevated CO_2 in two mediterranean perennial grasses, 47 (2002) 205

Heterocyst frequency
Differences in growth rate, nitrogen fixation and numbers of cyanobionts and heterocysts among three *Azolla pinnata* var. *pinnata* strains, 47 (2002) 143

Hilaria mutica
Physiological impacts of biosolids application in desert grasses, 48 (2002) 139

Hydroponics
Accumulation properties of As, Cd, Cu, Pb and Zn by four wetland plant species growing on submerged mine tailings, 47 (2002) 271

Hylocereus undatus
Stem water relations and net CO_2 uptake for a hemiepiphytic cactus during short-term drought, 48 (2002) 129

Inundation
Fluorescence parameters, chlorophyll concentration, and anatomical features as indicators for flood adaptation of an abundant tree species in Central Amazonia: *Symmeria paniculata*, 48 (2002) 225

Invasive species
Adaptive responses of *Lepidium latifolium* to soil flooding: biomass allocation, adventitious rooting, aerenchyma formation and ethylene production, 48 (2002) 119

Iron
Exudation of organic acids in common bean as related to mobilization of aluminum- and iron-bound phosphates, 48 (2002) 1

Lead nitrate
Chelated lead transport in *Pinus radiata*: an ultrastructural study, 48 (2002) 21

Leaf anatomy
Fluorescence parameters, chlorophyll concentration, and anatomical features as indicators for flood adaptation of an abundant tree species in Central Amazonia: *Symmeria paniculata*, 48 (2002) 225

Leaf angle
Comparative protective strategies of *Cistus albidus* and *Quercus ilex* facing photoinhibitory winter conditions, 47 (2002) 281

Leaf area
Effects of salt stress on growth, inorganic ions and proline accumulation in relation to osmotic adjustment in five sugar beet cultivars, 47 (2002) 39

Leaf gas exchange
Stomatal and non-stomatal restrictions to carbon assimilation in soybean (*Glycine max*) lines differing in water use efficiency, 48 (2002) 237

Leaf inclination angle
Changes in morphological and physiological traits during leaf expansion of *Arbutus unedo*, 48 (2002) 51

Leaf morphology
Fluorescence parameters, chlorophyll concentration, and anatomical features as indicators for flood adaptation of an abundant tree species in Central Amazonia: *Symmeria paniculata*, 48 (2002) 225

Leaf number
Effects of salt stress on growth, inorganic ions and proline accumulation in relation to osmotic adjustment in five sugar beet cultivars, 47 (2002) 39

Leaf structure
Structural and functional traits of *Quercus ilex* in response to water availability, 47 (2002) 11

Light stress
Modification of the thylakoid structure of *Euglena gracilis* by norflurazon-treatment: consequences for fluorescence quenching, 47 (2002) 259

Lignified xylem cells
Stresses on joints of *Opuntia laevis*: forces necessary for mechanical failure and role of lignified xylem cells as resistance components, 47 (2002) 231

Lipid peroxidation
Influence of drought on some physiological parameters symptomatic for oxidative stress in leaves of chives (*Allium schoenoprasum*), 48 (2002) 43

Lipoxygenase
Influence of drought on some physiological parameters symptomatic for oxidative stress in leaves of chives (*Allium schoenoprasum*), 48 (2002) 43

Littoral
Growth response of *Equisetum fluviatile* to elevated CO_2 and temperature, 47 (2002) 157

Lycium andersonii
Effects of elevated CO_2 (FACE) on the functional ecology of the drought-deciduous Mojave Desert shrub, *Lycium andersonii*, 48 (2002) 93

Macronutrients
Soil lead alters phytase activity and mineral nutrient balance of *Pisum sativum*, 48 (2002) 61

Manipulation
Comparative protective strategies of *Cistus albidus* and *Quercus ilex* facing photoinhibitory winter conditions, 47 (2002) 281

Mechanical stress
Effect of mechanically-simulated hail on photosynthesis, dark respiration and transpiration of apple leaves, 48 (2002) 169

Mechanical stresses
Stresses on joints of *Opuntia laevis*: forces necessary for mechanical failure and role of lignified xylem cells as resistance components, 47 (2002) 231

Mediterranean winter
Comparative protective strategies of *Cistus albidus* and *Quercus ilex* facing photoinhibitory winter conditions, 47 (2002) 281

Membrane integrity
Manganese uptake in the epiphytic lichens *Hypogymnia physodes* and *Lecanora conizaeoides*, 48 (2002) 107

Metals
Accumulation properties of As, Cd, Cu, Pb and Zn by four wetland plant species growing on submerged mine tailings, 47 (2002) 271

Mg/Mn ratio
Manganese uptake in the epiphytic lichens *Hypogymnia physodes* and *Lecanora conizaeoides*, 48 (2002) 107

Micronutrients
Soil lead alters phytase activity and mineral nutrient balance of *Pisum sativum*, 48 (2002) 61

Microspore
Effect of heat stress on calcium ultrastructural distribution in pepper anther, 48 (2002) 161

Minirhizotrons
Abundance, production and mortality of fine roots under elevated atmospheric CO_2 in an oak-scrub ecosystem, 48 (2002) 149

Mn(II) oxidation
Manganese uptake in the epiphytic lichens *Hypogymnia physodes* and *Lecanora conizaeoides*, 48 (2002) 107

Modelling
Effect of external potassium supply and plant age on the uptake of radiocaesium (^{137}Cs) by broad bean (*Vicia faba*): interpretation of results from a large-scale hydroponic study, 47 (2002) 173

Modulated delivery
How substantial are ultraviolet-B supplementation inaccuracies in experimental square-wave delivery systems?, 47 (2002) 25

Mojave Desert
Effects of elevated CO_2 (FACE) on the functional ecology of the drought-deciduous Mojave Desert shrub, *Lycium andersonii*, 48 (2002) 93

***N*-(2-hydroxyethyl) ethylenediaminetriaceticacid (H-EDTA)**
Chelated lead transport in *Pinus radiata*: an ultrastructural study, 48 (2002) 21

Nickel bioaccumulation
Changes of chloroplast ultrastructure and total chlorophyll concentration in cabbage leaves caused by excess of organic Ni(II) complexes, 47 (2002) 115

Nickel toxicity
Changes of chloroplast ultrastructure and total chlorophyll concentration in cabbage leaves caused by excess of organic Ni(II) complexes, 47 (2002) 115

Nitrate reductase activity
Effects of salt stress on growth, inorganic ions and proline accumulation in relation to osmotic adjustment in five sugar beet cultivars, 47 (2002) 39

Nitrogen
Effects of gradual versus step increases in carbon dioxide on *Plantago* photosynthesis and growth in a microcosm study, 47 (2002) 51

Nitrogen assimilation
Effects of nitrogen forms on dry matter partitioning and nitrogen metabolism in two contrasting genotypes of *Catasetum fimbriatum* (Orchidaceae), 47 (2002) 249

Nitrogen requirement
Differences in growth rate, nitrogen fixation and numbers of cyanobionts and heterocysts among three *Azolla pinnata* var. *pinnata* strains, 47 (2002) 143

Nitrogen sources
Effects of nitrogen forms on dry matter partitioning and nitrogen metabolism in two contrasting genotypes of *Catasetum fimbriatum* (Orchidaceae), 47 (2002) 249

Nonhydraulic signaling
Stomatal response to nonhydraulic root-to-shoot communication of partial soil drying in relation to foliar dehydration tolerance, 47 (2002) 217

Opuntia laevis
Stresses on joints of *Opuntia laevis*: forces necessary for mechanical failure and role of lignified xylem cells as resistance components, 47 (2002) 231

Opuntia robusta
Ecophysiology of a wild platyopuntia exposed to prolonged drought, 47 (2002) 77

Orange trees
Atmospheric CO_2 enrichment influences the synthesis and mobilization of putative vacuolar storage proteins in sour orange tree leaves, 48 (2002) 199

Orchid
Effects of nitrogen forms on dry matter partitioning and nitrogen metabolism in two contrasting genotypes of *Catasetum fimbriatum* (Orchidaceae), 47 (2002) 249

Organic acids
Fast root growth responses, root exudates, and internal detoxification as clues to the mechanisms of aluminium toxicity and resistance: a review, 48 (2002) 75

Oryza sativa
Metabolic changes in rice seedlings with different submergence tolerance after desubmergence, 47 (2002) 195

Overgrowth
The effect of rock surface aspect on growth, size structure and competition in the lichen *Rhizocarpon geographicum*, 48 (2002) 187

Oxidative stress
Metabolic changes in rice seedlings with different submergence tolerance after desubmergence, 47 (2002) 195

Parallel change
Soil lead alters phytase activity and mineral nutrient balance of *Pisum sativum*, 48 (2002) 61

Partial root drying
Stomatal response to nonhydraulic root-to-shoot communication of partial soil drying in relation to foliar dehydration tolerance, 47 (2002) 217

Partitioning
Effects of gradual versus step increases in carbon dioxide on *Plantago* photosynthesis and growth in a microcosm study, 47 (2002) 51

Pea
Soil lead alters phytase activity and mineral nutrient balance of *Pisum sativum*, 48 (2002) 61

Peanut
Effects of desiccation on peanut (*Arachis hypogaea* L.) seed protein composition, 47 (2002) 67

Interactive effects of sodium chloride and calcium chloride on the accumulation of proline and glycinebetaine in peanut (*Arachis hypogaea* L.), 47 (2002) 1

Peroxidase
Influence of drought on some physiological parameters symptomatic for oxidative stress in leaves of chives (*Allium schoenoprasum*), 48 (2002) 43

Phaeophytin
Copper tolerance in the lichen photobiont *Trebouxia erici* (Chlorophyta), 48 (2002) 11

Phaseolus vulgaris
Exudation of organic acids in common bean as related to mobilization of aluminum- and iron-bound phosphates, 48 (2002) 1

Phenological development
Effects of changes in soil temperature on seedling emergence and phenological development in field-grown stands of peanut (*Arachis hypogaea*), 47 (2002) 101

Phosphate
Exudation of organic acids in common bean as related to mobilization of aluminum- and iron-bound phosphates, 48 (2002) 1

Photochemical air pollution
Injury and growth response of subterranean clover to ambient ozone as assessed by using ethylenediurea (EDU): Three years of plant monitoring at four sites in The Netherlands, 48 (2002) 33

Photon flux ratio
How substantial are ultraviolet-B supplementation inaccuracies in experimental square-wave delivery systems?, 47 (2002) 25

Photoprotection
Comparative protective strategies of *Cistus albidus* and *Quercus ilex* facing photoinhibitory winter conditions, 47 (2002) 281

Photosynthesis
Effects of elevated CO_2 (FACE) on the functional ecology of the drought-deciduous Mojave Desert shrub, *Lycium andersonii*, 48 (2002) 93

Physiological impacts of biosolids application in desert grasses, 48 (2002) 139

Effect of *Neotyphodium* endophyte infection on growth and leaf gas exchange of Arizona fescue under contrasting water availability regimes, 48 (2002) 257

Stomatal and non-stomatal restrictions to carbon assimilation in soybean (*Glycine max*) lines differing in water use efficiency, 48 (2002) 237

Photosynthetic apparatus
Changes of chloroplast ultrastructure and total chlorophyll concentration in cabbage leaves caused by excess of organic Ni(II) complexes, 47 (2002) 115

Phragmites australis
Accumulation properties of As, Cd, Cu, Pb and Zn by four wetland plant species growing on submerged mine tailings, 47 (2002) 271

Phytate
Soil lead alters phytase activity and mineral nutrient balance of *Pisum sativum*, 48 (2002) 61

Phytoremediation
Chelated lead transport in *Pinus radiata*: an ultrastructural study, 48 (2002) 21

Pigment protein complexes
Modification of the thylakoid structure of *Euglena gracilis* by norflurazon-treatment: consequences for fluorescence quenching, 47 (2002) 259

Pinus radiata
Chelated lead transport in *Pinus radiata*: an ultrastructural study, 48 (2002) 21

Plantago lanceolata
Effects of gradual versus step increases in carbon dioxide on *Plantago* photosynthesis and growth in a microcosm study, 47 (2002) 51

Plant growth
Effect of external potassium supply and plant age on the uptake of radiocaesium (^{137}Cs) by broad bean (*Vicia faba*): interpretation of results from a large-scale hydroponic study, 47 (2002) 173

Effects of gradual versus step increases in carbon dioxide on *Plantago* photosynthesis and growth in a microcosm study, 47 (2002) 51

Plant pigments
Influence of drought on some physiological parameters symptomatic for oxidative stress in leaves of chives (*Allium schoenoprasum*), 48 (2002) 43

Pollen development
Effect of heat stress on calcium ultrastructural distribution in pepper anther, 48 (2002) 161

Polygonaceae
Fluorescence parameters, chlorophyll concentration, and anatomical features as indicators for flood adaptation of an abundant tree species in Central Amazonia: *Symmeria paniculata*, 48 (2002) 225

Polyphosphate granules
Effects of manganese on the viability of vegetative diaspores of the epiphytic lichen *Hypogymnia physodes*, 47 (2002) 127

Potassium
Effect of external potassium supply and plant age on the uptake of radiocaesium (^{137}Cs) by broad bean (*Vicia faba*): interpretation of results from a large-scale hydroponic study, 47 (2002) 173

Proline
Interactive effects of sodium chloride and calcium chloride on the accumulation of proline and glycinebetaine in peanut (*Arachis hypogaea* L.), 47 (2002) 1

Proteins
Atmospheric CO_2 enrichment influences the synthesis and mobilization of putative vacuolar storage proteins in sour orange tree leaves, 48 (2002) 199

Radial growth rate
The effect of rock surface aspect on growth, size structure and competition in the lichen *Rhizocarpon geographicum*, 48 (2002) 187

Rapid light curves
Fluorescence parameters, chlorophyll concentration, and anatomical features as indicators for flood adaptation of an abundant tree species in Central Amazonia: *Symmeria paniculata*, 48 (2002) 225

Relative water content
Effects of salt stress on growth, inorganic ions and proline accumulation in relation to osmotic adjustment in five sugar beet cultivars, 47 (2002) 39

Rocky soil
Ecophysiology of a wild platyopuntia exposed to prolonged drought, 47 (2002) 77

Root exudation
Exudation of organic acids in common bean as related to mobilization of aluminum- and iron-bound phosphates, 48 (2002) 1

Root growth
Abundance, production and mortality of fine roots under elevated atmospheric CO_2 in an oak-scrub ecosystem, 48 (2002) 149

Root length density
Abundance, production and mortality of fine roots under elevated atmospheric CO_2 in an oak-scrub ecosystem, 48 (2002) 149

Root mortality
Abundance, production and mortality of fine roots under elevated atmospheric CO_2 in an oak-scrub ecosystem, 48 (2002) 149

Root nodulation
Nodule distribution on the roots of actinorhizal *Discaria trinervis* (Rhamnaceae) growing in pots, 47 (2002) 95

Roots
Stem water relations and net CO_2 uptake for a hemiepiphytic cactus during short-term drought, 48 (2002) 129

Root/shoot ratio
Effects of nitrogen forms on dry matter partitioning and nitrogen metabolism in two contrasting genotypes of *Catasetum fimbriatum* (Orchidaceae), 47 (2002) 249

Root turnover
Abundance, production and mortality of fine roots under elevated atmospheric CO_2 in an oak-scrub ecosystem, 48 (2002) 149

Salinity
Effects of salt stress on growth, inorganic ions and proline accumulation in relation to osmotic adjustment in five sugar beet cultivars, 47 (2002) 39

Interactive effects of sodium chloride and calcium chloride on the accumulation of proline and glycinebetaine in peanut (*Arachis hypogaea* L.), 47 (2002) 1

Salix borealis
Accumulation properties of As, Cd, Cu, Pb and Zn by four wetland plant species growing on submerged mine tailings, 47 (2002) 271

Salix phylicfolia
Accumulation properties of As, Cd, Cu, Pb and Zn by four wetland plant species growing on submerged mine tailings, 47 (2002) 271

Sclerophylly
Changes in morphological and physiological traits during leaf expansion of *Arbutus unedo*, 48 (2002) 51

SDS-PAGE
Effects of desiccation on peanut (*Arachis hypogaea* L.) seed protein composition, 47 (2002) 67

Seed germination
Submergence tolerance vs. escape from submergence: two strategies of seedling establishment in Amazonian floodplains, 48 (2002) 177

Seedling growth
Allelopathic effects of parthenin against two weedy species, *Avena fatua* and *Bidens pilosa*, 47 (2002) 149

Semideciduous
Comparative protective strategies of *Cistus albidus* and *Quercus ilex* facing photoinhibitory winter conditions, 47 (2002) 281

Sesquiterpene lactone
Allelopathic effects of parthenin against two weedy species, *Avena fatua* and *Bidens pilosa*, 47 (2002) 149

Sewage sludge
Physiological impacts of biosolids application in desert grasses, 48 (2002) 139

Shoot:root ratio
Effects of gradual versus step increases in carbon dioxide on *Plantago* photosynthesis and growth in a microcosm study, 47 (2002) 51

Size frequency distribution
The effect of rock surface aspect on growth, size structure and competition in the lichen *Rhizocarpon geographicum*, 48 (2002) 187

Sodium
Interactive effects of sodium chloride and calcium chloride on the accumulation of proline and glycinebetaine in peanut (*Arachis hypogaea* L.), 47 (2002) 1

Solar radiation
How substantial are ultraviolet-B supplementation inaccuracies in experimental square-wave delivery systems?, 47 (2002) 25

Solute leakage
Effects of salt stress on growth, inorganic ions and proline accumulation in relation to osmotic adjustment in five sugar beet cultivars, 47 (2002) 39

Soredia
Effects of manganese on the viability of vegetative diaspores of the epiphytic lichen *Hypogymnia physodes*, 47 (2002) 127

Soybean
Stomatal and non-stomatal restrictions to carbon assimilation in soybean (*Glycine max*) lines differing in water use efficiency, 48 (2002) 237

Spatial pattern
Nodule distribution on the roots of actinorhizal *Discaria trinervis* (Rhamnaceae) growing in pots, 47 (2002) 95

Starch
Structural and functional traits of *Quercus ilex* in response to water availability, 47 (2002) 11

Stomata
Effect of mechanically-simulated hail on photosynthesis, dark respiration and transpiration of apple leaves, 48 (2002) 169

Stomatal conductance
Physiological impacts of biosolids application in desert grasses, 48 (2002) 139

Stomatal response to nonhydraulic root-to-shoot communication of partial soil drying in relation to foliar dehydration tolerance, 47 (2002) 217

Stomatal frequency
Stomatal frequency, maturity and index on developing bracts of four abscisic acid mutants and wild-type plants of *Arabidopsis thaliana*, 48 (2002) 247

Stomatal index
Stomatal frequency, maturity and index on developing bracts of four abscisic acid mutants and wild-type plants of *Arabidopsis thaliana*, 48 (2002) 247

Stomatal maturity
Stomatal frequency, maturity and index on developing bracts of four abscisic acid mutants and wild-type plants of *Arabidopsis thaliana*, 48 (2002) 247

Stress response models
Fast root growth responses, root exudates, and internal detoxification as clues to the mechanisms of aluminium toxicity and resistance: a review, 48 (2002) 75

Submergence
Metabolic changes in rice seedlings with different submergence tolerance after desubmergence, 47 (2002) 195

Tall whitetop
Adaptive responses of *Lepidium latifolium* to soil flooding: biomass allocation, adventitious rooting, aerenchyma formation and ethylene production, 48 (2002) 119

Tannins
Structural and functional traits of *Quercus ilex* in response to water availability, 47 (2002) 11

Temperate deciduous trees
Stomatal response to nonhydraulic root-to-shoot communication of partial soil drying in relation to foliar dehydration tolerance, 47 (2002) 217

Thermal time
Effects of changes in soil temperature on seedling emergence and phenological development in field-grown stands of peanut (*Arachis hypogaea*), 47 (2002) 101

Thylakoid
Changes of chloroplast ultrastructure and total chlorophyll concentration in cabbage leaves caused by excess of organic Ni(II) complexes, 47 (2002) 115

Thylakoid structure
Modification of the thylakoid structure of *Euglena gracilis* by norflurazon-treatment: consequences for fluorescence quenching, 47 (2002) 259

Tissue nutrients
Growth response of *Equisetum fluviatile* to elevated CO_2 and temperature, 47 (2002) 157

Transmission electron microscopy
Chelated lead transport in *Pinus radiata*: an ultrastructural study, 48 (2002) 21

Trebouxia
Effects of manganese on the viability of vegetative diaspores of the epiphytic lichen *Hypogymnia physodes*, 47 (2002) 127

Trees
Atmospheric CO_2 enrichment influences the synthesis and mobilization of putative vacuolar storage proteins in sour orange tree leaves, 48 (2002) 199

Trifolium subterraneum
Injury and growth response of subterranean clover to ambient ozone as assessed by using ethylenediurea (EDU): Three years of plant monitoring at four sites in The Netherlands, 48 (2002) 33

Ultraviolet-B radiation
How substantial are ultraviolet-B supplementation inaccuracies in experimental square-wave delivery systems?, 47 (2002) 25

UV-B
Growth of *Arabidopsis* flavonoid mutant is challenged by radiation longer than the UV-B band, 48 (2002) 213

Vacuole
Effect of heat stress on calcium ultrastructural distribution in pepper anther, 48 (2002) 161

Vapour pressure deficit
Injury and growth response of subterranean clover to ambient ozone as assessed by using ethylenediurea (EDU): Three years of plant monitoring at four sites in The Netherlands, 48 (2002) 33

Vegetative storage proteins
Atmospheric CO_2 enrichment influences the synthesis and mobilization of putative vacuolar storage proteins in sour orange tree leaves, 48 (2002) 199

Water deficit
Photochemical responses and oxidative stress in two clones of *Coffea canephora* under water deficit conditions, 47 (2002) 239

Water potential
Stem water relations and net CO_2 uptake for a hemiepiphytic cactus during short-term drought, 48 (2002) 129

Structural and functional traits of *Quercus ilex* in response to water availability, 47 (2002) 11

Water relations
Effects of elevated CO_2 (FACE) on the functional ecology of the drought-deciduous Mojave Desert shrub, *Lycium andersonii*, 48 (2002) 93

Stomatal response to nonhydraulic root-to-shoot communication of partial soil drying in relation to foliar dehydration tolerance, 47 (2002) 217

Water-use efficiency
Stem water relations and net CO_2 uptake for a hemiepiphytic cactus during short-term drought, 48 (2002) 129

Water use efficiency
Stomatal and non-stomatal restrictions to carbon assimilation in soybean (*Glycine max*) lines differing in water use efficiency, 48 (2002) 237

Wetlands
Adaptive responses of *Lepidium latifolium* to soil flooding: biomass allocation, adventitious rooting, aerenchyma formation and ethylene production, 48 (2002) 119

Wounding
Effect of mechanically-simulated hail on photosynthesis, dark respiration and transpiration of apple leaves, 48 (2002) 169

X-ray microanalysis
Effects of manganese on the viability of vegetative diaspores of the epiphytic lichen *Hypogymnia physodes*, 47 (2002) 127